TestAmerica
INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job Number: 00.05452

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
277717	WEEKLY COMPOSITE	10/05/2000		10/09/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Project Representative

6964 Hillsdale Court / Indianapolis, IN 46250 / 317-842-4261 / Fax: 317-842-4286 / 800-485-0204

TestAmerica
INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job No.: 00.05452

Date Received: 10/09/2000
Job Description: **WASTEWATER ANALYSIS**

Sample Number / Sample I.D. Parameters	Wet Wt. Result	Flag	Sample Date/ Units	Analyst Date & Time Analyzed	Method	Reporting Limit
277717 WEEKLY COMPOSITE			10/05/2000			
Zinc, ICP	0.027		mg/L	crm 11/15/2000 17:43	EPA 200.7	<0.020

6964 Hillsdale Court / Indianapolis, IN 46250 / 317-842-4261 / Fax: 317-842-4286 / 800-485-0204

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

TestAmerica INCORPORATED

Division/Laboratory Name: Indianapoli[illegible]sion

To assist us in using the proper analytical methods, is this work being conducted for regulatory pur[illegible]?
Compliance Monitoring Yes No
Enforcement Action Yes No

NOV 27 2000

Client Name: Milbank | Client #:
Address: 1400 East Havens Street
City/State/Zip Code: Kokomo, IN 56901-3188
Project Manager: Mr. Richard Tyler
Telephone Number: 765-452-5694 | Fax:
Sampler Name: (Print Name)
Sampler Signature:

Report To: Mr. Richard Tyler
Invoice To:
Quote #: 98.0060 | PO#:
Project Name: Weekly Wastewater
Project #:
Site/Location ID: | State: IN

TAT
___ Standard
___ Rush (surcharges may apply)
___ Other:
Date Needed:
Fax Results: Y N

QC Deliverables
___ None
___ Level 2 (Batch QC)
___ Level 3
___ Level 4
Other:

SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix: SL - Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater Specify Other	Preservation & # of Containers: HNO_3 (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H_2SO_4 Plastic (Yellow Label)	H_2SO_4 Glass(Yellow Label)	None (Black Label)	Other (Specify)	Analyze For: Zn										REMARKS
Weekly - Comp			C	N	WW						18		X										

Special Instructions:
********PLEASE COMPOSITE USING FLOW READINGS ATTACHED********

LABORATORY COMMENTS:
Init Lab Temp:
Rec Lab Temp: 15.4°c
Custody Seals: Y N N/A
Bottles Supplied by TestAmerica: Y N
Method of Shipment:

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Stephanie Schulenberg	10/6/00	10:00 am	Lawrence Stanley	10/9/00	10:45 AM
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

MIL0005535

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job Number: 00.05452
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
277717	WEEKLY COMPOSITE	10/05/2000		10/09/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job No.: 00.05452

Date Received: 10/09/2000
Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D. Parameters	Wet Wt. Result	Flag	Sample Date/ Units	Analyst Date & Time Analyzed	Method	Reporting Limit
277717 WEEKLY COMPOSITE			10/05/2000			
Zinc, ICP	0.027		mg/L	crm 11/15/2000 17:43	EPA 200.7	<0.020

KEY TO ABBREVIATIONS

<	less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/l	Part per million; Concentration in units of milligrams of analyte per liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.

TestAmerica, Inc. Indianapolis Division
6964 Hillsdale Ct., Indianapolis, IN 46250
Phone: (317) 842-4261 *FAX: (317) 842-4286*

TO: Mr. Richard Tyler
COMPANY: MILBANK MANUFACTURING INC

FROM: Josh Dutton
COMPANY: Indianapolis Division
PHONE: (317)842-4261

SENT ON: Thu Nov 16 17:42:24 2000

NUMBER OF PAGES (INCLUDING COVER): 4

COMMENTS:

PLEASE CALL NUMBER ABOVE IF FAX TRANSMISSION IS INCOMPLETE.

DATE: OCTOBER 5TH, 2000

MILBANK MANUFACTURING COMPANY

TEST AMERICA CALLED AND THEY ARE GOING TO DO A WEEKLY TESTING FOR 10/05/00 INSTEAD OF THE MONTHLY. THEY WILL DO THE MONTHLY TESTING OUT OF THE 10/12/00 SAMPLES.

TIME	METER READING	INITIALS
7:30	73600	SLH
8:00	73780	SLH
8:30	73940	SLH
9:00	74120	SLH
9:30	74270	SLH
10:00	74420	SLH
10:30	74580	SLH
11:00	74780	SLH
11:30	74980	SLH
12:00	75140	SLH
12:30	75350	SLH
1:00	75480	SLH
1:30	75640	SLH
2:00	75840	SLH
2:30	75980	SLH
3:00	76120	SLH
3:30	76250	SLH

October 5th, 2000

Please test for the following highlighted.
(Monthly)

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

Discharge Limitations		Monitoring Requirements	
Regulated Parameter	Maximum for Any one Day mg/L	Monitoring Frequency	Sample Type
Cadmium[5]	.02	Semi-Annual	Composite[2]
Total Chromium[5]	2.0	Semi-Annual	Composite[2]
Copper[5]	0.60	Semi-Annual	Composite[2]
Cyanide	0.50	Semi-Annual	Grab
Lead[5]	0.10	Semi-Annual	Composite[2]
Nickel[5]	0.80	Semi-Annual	Composite[2]
Silver[5]	0.24	Semi-Annual	Composite[2]
Zinc[5]	1.25	1 X Week	Composite[2]
Oil and Grease[6]	100	Semi-Annual	Grab
TPH[6]	(Monitor and report)	Semi-Annual	Grab
pH	6-10	Daily	Grab
CBOD [4]	(Monitor and report)	1 X Month	Composite[2]
Ammonia [4]	(Monitor and report)	1 X Month	Composite[2]
COD [4]	(Monitor and report)	1 X Month	Composite[2]
TSS [4]	(Monitor and report)	1 X Month	Composite[2]
Flow	N/A	Daily [3]	
TTO	2.13	Semi-Annual	Grab
Phenol	0.50	Semi-Annual	Grab
Molybdenum[5]	(Monitor and report)	1 X Month	Composite[2]

Test America INCORPORATED

Division/Laboratory Name: Indianapolis ion

To assist us in using the proper analytical methods, is this work being conducted for regulatory purp
Compliance Monitoring Yes No
Enforcement Action Yes No

Client Name: Milbank Client #:
Address: 1400 East Havens Street
City/State/Zip Code: Kokomo, IN 56901-3188
Project Manager: Mr. Richard Tyler
Telephone Number: 765-452-5694 Fax:
Sampler Name: (Print Name)
Sampler Signature:

Report To: Mr. Richard Tyler
Invoice To:
Quote #: 98.0060 PO#:
Project Name: Weekly Wastewater
Project #:
Site/Location ID: State: IN

TAT
___ Standard
___ Rush (surcharges may apply)
___ Other:
Date Needed:
Fax Results: Y N

QC Deliverables
___ None
___ Level 2 (Batch QC)
___ Level 3
___ Level 4
Other:

SAMPLE ID	Date Sampled	Time Sampled	Matrix: G = Grab, C = Composite	Field Filtered	Matrix: SL - Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater Specify Other	Preservation & # of Containers: HNO_3 (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H_2SO_4 Plastic (Yellow Label)	H_2SO_4 Glass(Yellow Label)	None (Black Label)	Other (Specify)	Analyze For: Zn										REMARKS
Weekly - Comp			C	N	WW						18		X										

Special Instructions:
********PLEASE COMPOSITE USING FLOW READINGS ATTACHED********

LABORATORY COMMENTS:
Init Lab Temp:
Rec Lab Temp:
Custody Seals: Y N N/A
Bottles Supplied by TestAmerica Y N
Method of Shipment:

Relinquished By: Stephanie Schmidt	Date: 10/6/08	Time: 10:00 AM	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

MIL0005542

DAILY: EVERY DAY SYSTEM RUNS
1X WEEK: 1 DAY OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)
1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH
SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

	Discharge Limitations		Monitoring Requirements			
	Regulated Parameter	Maximum for Any one Day mg/L	RESULT	DATE TAKEN	Monitoring Frequency	Sample Type
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]
Ca	Cyanide	0.50			Semi-Annual	Grab
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]
Ni	Nickel[5]	0.80			Semi-Annual	Composite[2]
	Silver[5]	0.24			Semi-Annual	Composite[2]
Zn	Zinc[5]	1.25	0.027	10-0500	1 X Week	Composite[2]
FOG	Oil and Grease[6]	100			Semi-Annual	Grab
OIL + GREASE HYDROCARBONS	TPH[6]	(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)			1 X Month	Composite[2]
Nh3	Ammonia [4]	(Monitor and report)			1 X Month	Composite[2]
	COD [4]	(Monitor and report)			1 X Month	Composite[2]
	TSS [4]	(Monitor and report)			1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
*	TTO	2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
Mo	Molybdenum[5]	(Monitor and report)			1 X Month	Composite[2]

* ND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR TEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)